

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Web History](#) | [Search settings](#) | [Sign in](#)

stefan problem mobile alloy element austenite

[Search](#)[Advanced Search](#)[Web](#) [Show options...](#)

Results 1 - 10 of about 6,150 for stefan problem mobile alloy element austenite. (0.47 seconds)

[Cementite dissolution at 860 °C in an Fe-Cr-C steel](#)

by L Zhao - 2006 - Cited by 2 - Related articles - All 6 versions

solve a vector-valued **Stefan problem** with a finite size of **austenite cell**. ... carbon in the early stage, and of the alloying element (chro- ...[www.springerlink.com/index/0M274S3K447W4856.pdf](http://www.springerlink.com/index/0M274S3K447W4856.pdf)[Dissolution of excess phases in structural steels in heat treatment](#)by VV Popov - 1995 - [Related articles](#)classified among diffusion problems in regions with **mobile boundaries** (**Stefan's problem**).In the general case it should be solved with allowance for the multicomponent nature of .... tration of carbide- and nitride-forming **elements** in austenite, .... of transition metals in iron alloys," in: Problems of Metals Sci- ...[www.springerlink.com/index/G32004X930K20274.pdf](http://www.springerlink.com/index/G32004X930K20274.pdf)[A three-dimensional model for particle dissolution in binary ...](#)

by FJ Vermolen - 2007 - Cited by 6 - Related articles

In these papers particle dissolution was viewed as a **Stefan problem** with a sharp interface .... by an  $\alpha$ -diffusive phase in which the **alloying element** diffuses. .... deals with the dissolution of a cementite plate in an austenite matrix. ...[linkinghub.elsevier.com/retrieve/pii/S0927025606002783](http://linkinghub.elsevier.com/retrieve/pii/S0927025606002783) - Similar[A mathematical model for the dissolution of particles in multi ...](#)

by FJ Vermolen - 2000 - Cited by 24 - Related articles - All 11 versions

This problem is known as a vector valued **Stefan problem**. .... The resulting discretized equation for one alloying element is given by (for ease of .... and application to the Ferrite/Austenite transformation in the Fe-Cr-Ni-system. ...[linkinghub.elsevier.com/retrieve/pii/S0377042799003556](http://linkinghub.elsevier.com/retrieve/pii/S0377042799003556)[Show more results from linkinghub.elsevier.com](#)[Modeling austenite-ferrite transformation in low carbon steel ...](#)

by YJ Lan - 2004 - Cited by 2 - Related articles - All 6 versions

For the Fe-Xi-C alloy, Fe-Xi can be regarded as the super-element S. Therefore, the cal- .... Fe-C alloys during austenite decomposition under non- ... set method for solving **Stefan problems**. J. Comput. Phys. 135, 8. (1997). ...[www.mrs.org/s\\_mrs/bin.asp?CID=223&DID=50620...PDF](http://www.mrs.org/s_mrs/bin.asp?CID=223&DID=50620...PDF) - Similar[\(WO/2005/076092\) COMPUTER-ASSISTED MODELLING METHOD FOR THE ...](#)

by K FRANZ - 2005

... (K) of the **mobile alloy element** is modified in the austenitic zone of the ... Ferner wird durch Lösen eines **Stefan-Problems** ermittelt, ob und wie sich ...[www.wipo.org/pctdb/en/wo.jsp?wo=2005076092](http://www.wipo.org/pctdb/en/wo.jsp?wo=2005076092) - Cached[Computer-Assisted Modelling Method for the Behavior of a Steel ...](#)

by W Borchers - 2007 - All 2 versions

If the **Stefan problem** or the **Stefan problems** are only resolved for a part of the .... K' of the **mobile alloy element** changes in the austenitic zone of the ...[www.freepatentsonline.com/y2007/0279636.html](http://www.freepatentsonline.com/y2007/0279636.html)[\[PDF\] HIGHER DIMENSIONAL NUMERICAL SIMULATIONS OF PRECIPITATE ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)by E Javriev - [Related articles](#)was viewed as a **Stefan problem** with a sharp interface separating the ... phase  $\Omega_{dp}$  in which the alloy **elements** diffuse. The boundary between the particle and the .... that the austenite-ferrite transformation occurs much faster than ...[ta.twi.tudelft.nl/tw/users/volk/papers/Jav08av/VSZ.pdf](http://ta.twi.tudelft.nl/tw/users/volk/papers/Jav08av/VSZ.pdf)[A new semi-analytical method for phase transformations in binary ...](#)by SG Ahmed - 2007 - [Related articles](#) - All 6 versionsDouglas, J., A uniqueness theorem for the solution of a **Stefan problem**. ... The dissolution of a stoichiometric second phase in ternary **alloys**: a numerical analysis. ... to the ferrite-austenite transformation in the Fe-Cr-Ni-system. ...[portal.acm.org/citation.cfm?id=1266319](http://portal.acm.org/citation.cfm?id=1266319)[Diffusive redistribution of carbon in carbon steels under the ...](#)

by AN Safonov - 1998 - Cited by 2 - Related articles - All 3 versions

of carbon in **austenite**. Surface heat treatment of steels and **alloys** creates a zone ... carbon represents the one-dimensional **Stefan problem** with two moving boundaries: ... reduces to the case with one **mobile austenite** ^ excess phase ...[www.ijp.lnigc.it/article/1663-7818/28/01/IQEL\\_28\\_8\\_A03.pdf](http://www.ijp.lnigc.it/article/1663-7818/28/01/IQEL_28_8_A03.pdf) - Similar

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

---

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)